



**TEXAS COMMISSION ON ENVIRONMENTAL QUALITY**  
**Texas Pollutant Discharge Elimination System**  
**Small Municipal Separate Storm Sewer System (MS4) General Permit**

The Notice of Intent (NOI) for the Small MS4 listed below was received on June 17, 2019. The intent to discharge stormwater associated with the Small MS4 under the terms and conditions imposed by the Texas Pollutant Discharge Elimination System (TPDES) Small MS4 General Permit TXR040000 is authorized. The MS4 Operator's TPDES Small MS4 General Permit authorization number is:

**TXR040034**  
Coverage Effective: 12/5/2008  
MS4 Level: MS4 LEVEL 2

TCEQ's Small MS4 General Permit requires certain stormwater pollution prevention and control measures, possible monitoring and reporting, and periodic inspections. Among the conditions and requirements of this permit, you must have prepared and implemented a stormwater management program (SWMP) that is tailored to your MS4. As an MS4 authorized to discharge under the Small MS4 General Permit, all terms and conditions must be complied with to maintain coverage and avoid possible penalties. A copy of this document should be kept with your SWMP.

**PROJECT/SITE INFORMATION:**

RN105480909  
CITY OF UNIVERSAL CITY MS4  
AREA WITHIN THE LIMITS OF THE CITY OF UNIVERSAL CITY LOCATED IN THE  
BEXAR AND GUADALUPE COUNTIES WITHIN THE SAN ANTONIO URBANIZED  
AREA  
UNIVERSAL CITY, TX 78148  
BEXAR COUNTY

**OPERATOR:**

CN600650394  
CITY OF UNIVERSAL CITY  
2150 UNIVERSAL CITY BLVD  
UNIVERSAL CITY, TX 78148-3443

**The Small MS4 General Permit and all authorizations expire on January 24, 2024, unless otherwise amended.** For technical questions, you may contact the Stormwater Team at [SWGPA@tceq.texas.gov](mailto:SWGPA@tceq.texas.gov) or by telephone at (512) 239-4671. Also, you may obtain general permit information about your authorization on the TCEQ website at [https://www2.tceq.texas.gov/wq\\_dpa/](https://www2.tceq.texas.gov/wq_dpa/)

A handwritten signature in black ink, appearing to read "K. Keel", written over a horizontal line.

FOR THE COMMISSION

Issued Date: 1/24/2024